




Z131S

SIPHONIC OVERFLOW ROOF DRAIN

SPECIFICATION SHEET

TAG _____

Design and Dimensional Data (inches and [mm]) are Subject to Manufacturing Tolerances and Change Without Notice



In Inches [mm]					Approx. Wt. Lbs. [kg]	Resistance Value (K)
'A' Pipe Size	'B'	'C'	'D'	'E'		
3 [76]	13 [330]	24 [610]	8-7/8 [225]	3-7/64 [79]	33 [15]	0.21
4 [102]	19-3/8 [492]	27 [686]	12-15/64 [311]	3-9/16 [90]	64 [29]	0.09
6 [152]	25-13/64 [640]	33 [832]	17-7/8 [454]	4-3/4 [121]	106 [48]	0.08

ENGINEERING SPECIFICATION:ZURN Z131S

Siphonic Overflow roof drain with Dura-Coated cast iron drain body and 2 [51] high external combination membrane flashing clamp/overflow dam. Complete with Dura-Coated cast iron air baffle and deck plate. Zurn Z131S meets ASME A112.6.9/CSA B79.9 siphonic roof drain standard.

OPTIONS (Check/specify appropriate options)**PIPE SIZE**

3,4,6 [76,102,152]

(Specify size/type) **OUTLET**

____ NH No-Hub

PREFIXES

____ Z Dura-Coated Cast Iron Body with Deck Plate*

SUFFIXES

____ -C Underdeck Clamp
____ -E Stackable Static Dam Extension (1 [25]) **
____ -EB Top-Set® Adjustable Extension Assembly
____ -VP Vandal-Proof Secured Top

* Regularly furnished unless otherwise specified.

** Static extension height/quantity is dependent on system design.

⚠ **WARNING:** Cancer and Reproductive Harm - www.P65Warnings.ca.gov⚠ **ADVERTENCIA:** Cáncer y daño reproductivo - www.P65Warnings.ca.gov⚠ **AVERTISSEMENT:** Cancer et effets néfastes sur la reproduction - www.P65Warnings.ca.gov

Zurn Industries, LLC | Specification Drainage Operation
1801 Pittsburgh Avenue, Erie, PA 16502, Ph. 855.663.9876

In Canada | Zurn Industries Limited
7900 Goreway Drive, Unit 10, Brampton, Ontario L6T 5W6, Ph. 877.892.5216

www.zurn.com

Rev. B
Date: 04/08/2024
C.N. No. 145985
Patent zurn.com/patents
Prod. | Dwg. No. Z131S