


Dimensional Data (inches and [mm]) are Subject to Manufacturing Tolerances and Change Without Notice



Dimensions in Inches [mm]						Approx. Wt. Lbs. [kg]	Strainer Open Area Sq. In. [cm²]
A - Pipe Size	B x B' Strainer Top Size	K		K'			
		Min.	Max.	Min.	Max.		
2, 3, 4 [51, 76, 102]	6 x 6 [152 x 152]	1 [25]	1-7/8 [48]	1-3/4 [44]	2-5/8 [67]	13 [6]	12 [77]
2, 3, 4 [51, 76, 102]	8 x 8 [203 x 203]	1-5/32 [29]	2 [51]	2 [51]	2-3/4 [70]	17 [8]	21 [135]
6 [152]	8 x 8 [203 x 203]	1-5/32 [29]	2 [51]	2 [51]	2-3/4 [70]	19 [9]	21 [135]

ENGINEERING SPECIFICATION: ZURN ZN415SH

Floor and shower drain, Dura-Coated cast iron body with bottom outlet, combination invertible membrane clamp and adjustable collar with seepage slots and "TYPE SH" polished nickel bronze, square hinged, light-duty strainer.

OPTIONS (Check/specify appropriate options)

PIPE SIZE	(Specify size/type)	OUTLET	'E' BODY HT. DIM.
2 [51]	____ IP	Threaded	2-3/8 [60]
3 [76]	____ IP	Threaded	2-5/8 [67]
4 [102]	____ IP	Threaded	2-7/8 [73]
6 [152]	____ IP	Threaded	2-3/4 [70]
2,3,4 [51,76,102]	____ NH	No-Hub	3-7/8 [98]
2,3,4 [51,76,102]	____ NL	Neo-Loc	3-3/4 [95]

PREFIXES

- ____ ZB D.C.C.I. Body Assembly w/ Polished Bronze Top
____ ZN D.C.C.I. Body Assembly w/ Polished Nickel Bronze Top*

SUFFIXES

- | | |
|---|---|
| ____ -AR Acid Resisting Epoxy Coated Cast Iron | ____ -U 1-3 [25-76] High Extension Adapter |
| ____ -G Galvanized Cast Iron | ____ -V Backwater Valve |
| ____ -P Trap Primer Connection (Specify 1/2 [13] or 3/4 [19]) | ____ -VP Vandal-Proof |
| ____ -SA Stabilizer Assembly (See Z1035) | ____ -Y Sediment Bucket |
| ____ -SQ Stabilizer Q-Deck (See Z1035-Q) | ____ -90 90° Threaded Side Outlet Body Assembly (2 [51], 3 [76] Only) |
| ____ -SR Stabilizer Ring | |
| ____ -TC Neo-loc Test Cap Gasket (2,3,4 [51,76,102] NL Outlet Only) | |

* Regularly furnished unless otherwise specified.

- ⚠ **WARNING:** Cancer and Reproductive Harm - www.P65Warnings.ca.gov
⚠ **ADVERTENCIA:** Cáncer y daño reproductivo - www.P65Warnings.ca.gov
⚠ **AVERTISSEMENT:** Cancer et effets néfastes sur la reproduction - www.P65Warnings.ca.gov

Zurn Industries, LLC | Specification Drainage Operation
1801 Pittsburgh Avenue, Erie, PA USA 16502, Ph. 855.663.9876

In Canada | Zurn Industries Limited
7900 Goreway Drive, Unit 10, Brampton, Ontario L6T 5W6, Ph. 877.892.5216

www.zurn.com

Rev. L
Date: 01/02/23
C.N. No. 144898
Patent zurn.com/patents
Prod. | Dwg. No. Z415SH