

P	JAY R. SMITH MFG. CO. MEMBER OF MORRIS GROUP INTERNATIONAL POST OFFICE BOX 3237 MONTGOMERY, ALABAMA 36109-0237 (USA) TEL: 334-277-8520 FAX: 888-377-7818 www.jrsmith.com MEMBER OF:				LOCATION 																													
	DEEP SUMP ROOF DRAIN WITH DUAL OUTLET																																	
DRAWING NUMBER S1077	SIZE A	SCALE: NONE	DATE: 11/21/08	APPROVED BY: AM	CHECKED BY: AM	DRAWN BY: JJ	1077	WE CAN ASSUME NO RESPONSIBILITY FOR USE OF SUPERSEDED OR VOID DATA DIMENSIONS ARE SUBJECT TO MANUFACTURERS TOLERANCE AND CHANGE WITHOUT NOTICE																										
Free Area 80 SQ IN (516 SQ CM) Recommended Deck Opening <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 30%;">with suffix -RDP</td> <td>17 (430) Dia.</td> </tr> <tr> <td>less suffix -RDP</td> <td>15 (381) Dia.</td> </tr> </table> Fig. 1077Y.....NO-HUB Outlet <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>A</th> <th>B</th> <th>C</th> <th>D</th> </tr> <tr> <th>Pipe Size</th> <th>Dia.</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>02(50)</td> <td>4(100)</td> <td>7 1/2(191)</td> <td>10 3/4(273)</td> </tr> <tr> <td>03(75)</td> <td>4(100)</td> <td>7(178)</td> <td>10 3/4(273)</td> </tr> <tr> <td>04(100)</td> <td>4(100)</td> <td>6 1/2(165)</td> <td>10 3/4(273)</td> </tr> <tr> <td>06(150)</td> <td>6(150)</td> <td>5 1/2(140)</td> <td>11 1/8 (282)</td> </tr> </tbody> </table> REGULARLY FURNISHED: Duco Coated Cast Iron Body with Side Outlet Drain Connection and Bottom Outlet Overflow Connection with Standpipe Type Overflow, Combined Flashing Clamp and Gravel Stop and Cast Iron Dome. VARIATIONS: ☐ Vandal Proof Dome -U ☐ Top Mount Deck Plate -RDP ☐ Extension -E ☐ S.S.Gravel Guard -GG (Specify Height) ☐ Cast Iron Standpipe -CIS ☐ Overflow Pipe Dome ☐ Sump Receiver -R ☐ Under Deck Clamp -C OPTIONAL MATERIALS: ☐ PolyethyleneDome ☐ Rough Bronze Dome -RBD ☐ Stainless Steel Mesh ☐ Covered Dome -SSM ☐ Galvanized Cast Iron -G NOTE: Dimensions shown in Parentheses are in millimeters.								with suffix -RDP	17 (430) Dia.	less suffix -RDP	15 (381) Dia.	A	B	C	D	Pipe Size	Dia.			02(50)	4(100)	7 1/2(191)	10 3/4(273)	03(75)	4(100)	7(178)	10 3/4(273)	04(100)	4(100)	6 1/2(165)	10 3/4(273)	06(150)	6(150)	5 1/2(140)
with suffix -RDP	17 (430) Dia.																																	
less suffix -RDP	15 (381) Dia.																																	
A	B	C	D																															
Pipe Size	Dia.																																	
02(50)	4(100)	7 1/2(191)	10 3/4(273)																															
03(75)	4(100)	7(178)	10 3/4(273)																															
04(100)	4(100)	6 1/2(165)	10 3/4(273)																															
06(150)	6(150)	5 1/2(140)	11 1/8 (282)																															
<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 10%;">P</td> <td>6-19-24</td> </tr> <tr> <td>N</td> <td>2-28-24</td> </tr> <tr> <td>M</td> <td>7-18-23</td> </tr> <tr> <td>L</td> <td>7-21-22</td> </tr> </table>	P	6-19-24	N	2-28-24	M	7-18-23	L	7-21-22	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td>Rev. Drawing and Table</td> </tr> <tr> <td>Revised Variations, Optional Mat.</td> </tr> <tr> <td>Removed Note, Added Free Area</td> </tr> <tr> <td>Rev. Drawing</td> </tr> </table>	Rev. Drawing and Table	Revised Variations, Optional Mat.	Removed Note, Added Free Area	Rev. Drawing	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td>HS</td> <td>KV</td> </tr> <tr> <td>HS</td> <td>CL</td> </tr> <tr> <td>HS</td> <td>CL</td> </tr> <tr> <td>KK</td> <td>CL</td> </tr> </table>	HS	KV	HS	CL	HS	CL	KK	CL	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td>WEIGHT</td> <td>VOLUME</td> </tr> <tr> <td>POUNDS</td> <td>CUBIC FEET</td> </tr> </table>	WEIGHT	VOLUME	POUNDS	CUBIC FEET	FIGURE NUMBER 1077						
P	6-19-24																																	
N	2-28-24																																	
M	7-18-23																																	
L	7-21-22																																	
Rev. Drawing and Table																																		
Revised Variations, Optional Mat.																																		
Removed Note, Added Free Area																																		
Rev. Drawing																																		
HS	KV																																	
HS	CL																																	
HS	CL																																	
KK	CL																																	
WEIGHT	VOLUME																																	
POUNDS	CUBIC FEET																																	
REV.	DATE	DESCRIPTION	BY	CKD. BY																														



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

C	SMITH® JAY R. SMITH MFG. CO.® MEMBER OF MORRIS GROUP INTERNATIONAL POST OFFICE BOX 3237 MONTGOMERY, ALABAMA 36109-0237 (USA) TEL: 334-277-8520 FAX: 888-377-7818 www.jrsmith.com MEMBER OF: MEMBER OF: MEMBER OF:				LOCATION 																												
	DEEP SUMP ROOF DRAIN WITH DUAL OUTLET																																
	Free Area 228 SQ IN (1471 SQ CM)																																
	Fig. 1077Y08.....NO-HUB Outlet <table border="1" style="margin: auto; border-collapse: collapse;"> <thead> <tr> <th colspan="2">Recommended Deck Opening</th> </tr> </thead> <tbody> <tr> <td style="padding: 2px 5px;">with suffix -RDP</td> <td style="padding: 2px 5px;">18 3/4 (475) Dia.</td> </tr> <tr> <td style="padding: 2px 5px;">less suffix -RDP</td> <td style="padding: 2px 5px;">21 (535) Dia.</td> </tr> </tbody> </table>					Recommended Deck Opening		with suffix -RDP	18 3/4 (475) Dia.	less suffix -RDP	21 (535) Dia.																						
Recommended Deck Opening																																	
with suffix -RDP	18 3/4 (475) Dia.																																
less suffix -RDP	21 (535) Dia.																																
REGULARLY FURNISHED: Duco Coated Cast Iron Body with Side Outlet Drain Connection and Bottom Outlet Overflow Connection with Standpipe Type Overflow, Combined Flashing Clamp and Gravel Stop and Cast Iron Dome. VARIATIONS: ☐ Vandal Proof Dome -U ☐ Top Mount Deck Plate -RDP ☐ Overflow Pipe Dome ☐ Extension -E ☐ Cast Iron Standpipe -CIS ☐ S.S. Gravel Guard -GG (Specify Height) ☐ Sump Receiver -R ☐ Underdeck Clamp -C OPTIONAL MATERIALS: ☐ Aluminum Dome -AD ☐ Stainless Steel Mesh ☐ Covered Dome -SSM ☐ Galvanized Cast Iron -G																																	
NOTE: Dimensions shown in Parentheses are in millimeters.																																	
FIGURE NUMBER	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 10%; text-align: center;">C</td> <td style="width: 15%; text-align: center;">2-28-24</td> <td style="width: 30%; text-align: center;">Revised Variations, Optional Mat.</td> <td style="width: 10%; text-align: center;">HS</td> <td style="width: 10%; text-align: center;">CL</td> <td rowspan="2" style="width: 10%;">WEIGHT POUNDS</td> <td rowspan="2" style="width: 10%;">VOLUME CUBIC FEET</td> <td rowspan="2" style="width: 25%; text-align: center; vertical-align: middle;"> FIGURE NUMBER 1077 (Back Sheet) </td> </tr> <tr> <td style="text-align: center;">B</td> <td style="text-align: center;">7-18-23</td> <td style="text-align: center;">Removed Note, Changed B.S.</td> <td style="text-align: center;">HS</td> <td style="text-align: center;">CL</td> </tr> <tr> <td style="text-align: center;">A</td> <td style="text-align: center;">10-11-22</td> <td style="text-align: center;">Changed 7 1/2 to 8 1/2</td> <td style="text-align: center;">KK</td> <td style="text-align: center;">CR</td> <td></td> <td></td> <td></td> </tr> <tr> <td style="text-align: center;">REV.</td> <td style="text-align: center;">DATE</td> <td style="text-align: center;">DESCRIPTION</td> <td style="text-align: center;">BY</td> <td style="text-align: center;">CKD. BY</td> <td></td> <td></td> <td></td> </tr> </table>				C	2-28-24	Revised Variations, Optional Mat.	HS	CL	WEIGHT POUNDS	VOLUME CUBIC FEET	FIGURE NUMBER 1077 (Back Sheet)	B	7-18-23	Removed Note, Changed B.S.	HS	CL	A	10-11-22	Changed 7 1/2 to 8 1/2	KK	CR				REV.	DATE	DESCRIPTION	BY	CKD. BY			
	C	2-28-24	Revised Variations, Optional Mat.	HS	CL	WEIGHT POUNDS	VOLUME CUBIC FEET	FIGURE NUMBER 1077 (Back Sheet)																									
B	7-18-23	Removed Note, Changed B.S.	HS	CL																													
A	10-11-22	Changed 7 1/2 to 8 1/2	KK	CR																													
REV.	DATE	DESCRIPTION	BY	CKD. BY																													