

F	SMITH® JAY R. SMITH MFG. CO.® MEMBER OF MORRIS GROUP INTERNATIONAL POST OFFICE BOX 3237 MONTGOMERY, ALABAMA 36109-0237 (USA) TEL: 334-277-8520 FAX: 888-377-7818 www.jrsmith.com MEMBER OF: MEMBER OF: MEMBER OF:				LOCATION 																								
	HEAVY DUTY FLOOR DRAIN																												
DRAWING NUMBER S2290	SIZE A	SCALE: NONE	DATE: 10-9-86	APPROVED BY: TD	CHECKED BY: VGD	DRAWN BY: WAS	DIMENSIONS ARE SUBJECT TO MANUFACTURERS TOLERANCE AND CHANGE WITHOUT NOTICE																						
Free Area 45 SQ IN (290 SQ CM) Heavy Duty ADA Tractor Grate Collar Can Be Used As Flashing Clamp (When Specified) Seepage Opening Fig. 2290C . . . CAULK OUTLET Fig. 2290T . . . THREADED OUTLET Fig. 2290Y . . . NO-HUB OUTLET <table border="1" style="width: 100%; border-collapse: collapse; text-align: center;"> <tr> <td style="width: 10%;">A SIZE</td> <td style="width: 40%;">02(50), 03(75), 04(100), 05(125) or 06(150)</td> <td style="width: 10%;">08(200)</td> <td style="width: 10%;">10(250)</td> </tr> <tr> <td>B</td> <td>5(127) for Caulk, NO-HUB and Speedi-Set® 3 3/4(95) for Threaded</td> <td>6(150)</td> <td>6(150)</td> </tr> </table> *This dimension to internal stop of Speedi-Set® gasket. ▲Add 1/4"(6) when bronze top is specified. REGULARLY FURNISHED: Duco Cast Iron Body, Flashing Collar and Heavy Duty ADA Tractor Grate. VARIATIONS: ☐ Dome Bottom Strainer -DBS ☐ Dome Grate -D ☐ Secondary Strainer -FBS ☐ Side Outlet ☐ Square Top -S ☐ Vandal Proof -U ☐ L Speedi-Set® Service Weight (02(50), 03(75) & 04"(100) sizes only) ☐ LXH Speedi-Set® Extra Heavy (02(50), 03(75) & 04"(100) sizes only) ☐ Bucket -B ☐ Quad Close Trap Seal (Specify Fig. 2692) OPTIONAL MATERIALS: ☐ Ductile Iron Grate -M ☐ Galvanized Cast Iron -G ☐ Nickel Bronze Top -NB ☐ Polished Bronze Top -PB NOTE: Floor drains or area drains used to drain areas subject to rainfall should have an open area equal to twice the cross sectional area of the connecting pipe. NOTE Dimensions shown in parentheses are in millimeters.									A SIZE	02(50), 03(75), 04(100), 05(125) or 06(150)	08(200)	10(250)	B	5(127) for Caulk, NO-HUB and Speedi-Set® 3 3/4(95) for Threaded	6(150)	6(150)													
A SIZE	02(50), 03(75), 04(100), 05(125) or 06(150)	08(200)	10(250)																										
B	5(127) for Caulk, NO-HUB and Speedi-Set® 3 3/4(95) for Threaded	6(150)	6(150)																										
FIGURE NUMBER 2290	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 15%;">F</td> <td style="width: 15%;">6-23-23</td> <td rowspan="4" style="width: 30%; text-align: center; vertical-align: middle;"> Revised Variations, Added Fig. Added ® to "Speedi-Set" Revised Table, Added Note Revised Variations </td> <td style="width: 15%;">HS</td> <td style="width: 15%;">CL</td> <td rowspan="4" style="width: 10%; text-align: center; vertical-align: middle;"> WEIGHT POUNDS </td> <td rowspan="4" style="width: 10%; text-align: center; vertical-align: middle;"> VOLUME CUBIC FEET </td> <td rowspan="4" style="width: 20%; text-align: center; vertical-align: middle;"> FIGURE NUMBER 2290 </td> </tr> <tr> <td>E</td> <td>3-10-23</td> <td>KK</td> <td>BW</td> </tr> <tr> <td>D</td> <td>2-4-16</td> <td>TBW</td> <td>BW</td> </tr> <tr> <td>C</td> <td>6-17-15</td> <td>TBW</td> <td>CL</td> </tr> <tr> <td>REV.</td> <td>DATE</td> <td>DESCRIPTION</td> <td>BY</td> <td>CKD. BY</td> <td></td> <td></td> <td></td> </tr> </table>	F	6-23-23	Revised Variations, Added Fig. Added ® to "Speedi-Set" Revised Table, Added Note Revised Variations	HS	CL	WEIGHT POUNDS	VOLUME CUBIC FEET	FIGURE NUMBER 2290	E	3-10-23	KK	BW	D	2-4-16	TBW	BW	C	6-17-15	TBW	CL	REV.	DATE	DESCRIPTION	BY	CKD. BY			
F	6-23-23	Revised Variations, Added Fig. Added ® to "Speedi-Set" Revised Table, Added Note Revised Variations	HS		CL	WEIGHT POUNDS				VOLUME CUBIC FEET	FIGURE NUMBER 2290																		
E	3-10-23		KK		BW																								
D	2-4-16		TBW		BW																								
C	6-17-15		TBW	CL																									
REV.	DATE	DESCRIPTION	BY	CKD. BY																									



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov